	Hits	Search Text	DBs
1	2210	activ$6 with (components near3 necessary)	US-PGPUB; USPAT
2	85	(activ$6 with (components near3 necessary)) and ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
3	8	(activ$6 with (components near3 necessary)) and (713/3$3)	US-PGPUB; USPAT
4	71	(activ$6 near3 necessary) same ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
5	25	(activ$6 near3 necessary) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
6	39	(determin$6 near3 necessary) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
7	64	(determin$6 near3 required) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
8	2133	(components near3 (required or necessary)) and ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
9	19	"5978923".URPN.	USPAT
10	1527	selectively with power with components	US-PGPUB; USPAT
11	15	selectively adj power adj components	US-PGPUB; USPAT
12	143	selectively adj3 power adj3 components	US-PGPUB; USPAT
13	2	selectively adj power adj units	US-PGPUB; USPAT
14	19	(selectively adj3 power adj3 components) same ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
15	54	(selectively adj3 power adj3 components) and ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
16	19	(selectively adj3 power adj3 components) same (request or instruction or command)	US-PGPUB; USPAT
17	117	"4747041".URPN.	USPAT
18	3	(selectively adj3 wak$3) same (request or instruction or command)	US-PGPUB; USPAT
19	70	(determin$6 near3 need$2) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
20	735	selectively with power with need$2	US-PGPUB; USPAT

	Hits	Search Text	DBs
33	28	(determin$6 near3 (necessary or need$2 or required or appropriate) near2 (units or components or peripherals or devices)) same ((request or instruction or command) with (receiv$4 or execut$3 or process$3)) same (wak$3 or power)	US-PGPUB; USPAT
34	389	(dynamic$6 near3 (necessary or need$2 or required or appropriate) near2 (units or components or peripherals or devices))	US-PGPUB; USPAT
35	17	(dynamic$6 near3 (necessary or need$2 or required or appropriate) near2 (units or components or peripherals or devices)) with (power or activ$5)	US-PGPUB; USPAT
36	270	receiv$5 with request$3 with ((power or sleep) adj (mode or state))	US-PGPUB; USPAT
37	25	(receiv$5 with request$3 with ((power or sleep) adj (mode or state))) same remote	US-PGPUB; USPAT
38	8	(receiv$5 with request$3 with ((power or sleep) adj (mode or state))) same server	US-PGPUB; USPAT
39	13	("5086385" | "5156203" | "5305952" | "5682949" | "5900026" | "5962989" | "6260111" | "6263260" | "6297746" | "6348867" | "6349883" | "6408395" | "6642843" | "2003/0171851").PN.	USPAT
40	190	(respon$5 with request$3 with ((power or sleep) adj (mode or state)))	US-PGPUB; USPAT
41	36	(respon$5 with request$3 with ((power or sleep) adj (mode or state))) with computer	US-PGPUB; USPAT
42	81	(respon$5 with request$3 with ((power or sleep) adj (mode or state))) and 713/3$2	US-PGPUB; USPAT
43	28	(respon$5 with request$3 with ((power or sleep) adj (mode or state))) same network	US-PGPUB; USPAT
44	47	(network with request$3 with ((power or sleep) adj (mode or state)))	US-PGPUB; USPAT
45	37	(network with remote with ((power or sleep) adj (mode or state)))	US-PGPUB; USPAT

	Hits	Search Text	DBs
46	7	(network with remote with ((power or sleep) adj (mode or state))) and authenticat$5	US-PGPUB; USPAT
47	2531	(respon$5 with request$3 with network) with computer	US-PGPUB; USPAT
48	10	(wak$5 with request$3 with ((power or sleep) adj (mode or state))) same network	US-PGPUB; USPAT
49	0	(activ$6 with (components near3 necessary)) and ((power or sleep) adj2 (mode or state))	EPO; JPO
50	0	(determin$6 near3 required) with ((power or sleep) adj2 (mode or state))	EPO; JPO
51	4	selectively adj3 power adj3 components	EPO; JPO
52	0	selectively near3 power near3 need$2	EPO; JPO
53	9	(dynamic$6 near3 (necessary or need$2 or required or appropriate) near2 (units or components or peripherals or devices))	EPO; JPO
54	43	selectively with power with need$2	EPO; JPO
55	10	(respon$5 with request$3 with ((power or sleep) adj (mode or state)))	EPO; JPO
56	13	("4969830" "5065321" "5185700" "5600800" "5625673" "5634080" "5664228" "5666530" "5802124" "5894425" "5928329" "6088730" "6125369").pn.	US-PGPUB; USPAT
57	1	"9845957"	EPO
58	31	bezos.in. and angel.in.	US-PGPUB; USPAT
59	775	wireless$3 with ((sav$3 or retriev$3) near2 data)	US-PGPUB; USPAT
60	0	(wireless$3 with ((sav$3 or retriev$3) near2 data)) same (power adj (mode or state))	US-PGPUB; USPAT
61	0	(wireless$3 same ((sav$3 or retriev$3) near2 data)) same (power adj (mode or state))	US-PGPUB; USPAT
62	2	(wireless$3 same ((sav$3 or retriev$3) near2 data)) same (sleep$3 adj (mode or state))	US-PGPUB; USPAT
63	1	(wireless$3 same ((sav$3 or retriev$3) near2 data)) same wak$3	US-PGPUB; USPAT

	Hits	Search Text	DBs
64	9	((sav$3 or retriev$3) near2 data) with wak$3 with ((power or sleep$3) adj2 (mode or state))	US-PGPUB; USPAT
65	2	(selectively adj3 power adj3 components) with (wireless)	US-PGPUB; USPAT
66	21	wireless$3 with ((sav$3 or retriev$3) near2 data)	EPO; JPO
67	0	(wireless$3 same ((sav$3 or retriev$3) near2 data)) same (sleep$3 adj (mode or state))	EPO; JPO
68	0	((sav$3 or retriev$3) near2 data) with wak$3 with ((power or sleep$3) adj2 (mode or state))	EPO; JPO
69	1	((sav$3 or retriev$3) near2 data) and wak$3 and ((power or sleep$3) adj2 (mode or state))	EPO; JPO
70	17	(remote$4 same ((sav$3 or retriev$3) near2 data)) same (sleep$3 adj (mode or state))	US-PGPUB; USPAT
71	66	(power$3 with ((sav$3 or retriev$3) near2 data)) same (sleep$3 adj (mode or state))	US-PGPUB; USPAT
72	90	((synchroniz$5 near2 data)) same ((sleep$3 or power) adj2 (mode or state))	US-PGPUB; USPAT
73	19	((synchroniz$5 near2 data)) with ((sleep$3 or power) adj2 (mode or state))	US-PGPUB; USPAT
74	18	((power$3 or enabl$3 or activat$6) near2 (disk or drive)) with ((cpu or processor) near2 (sleep$3 or off))	US-PGPUB; USPAT
75	1	((power$3 or enabl$3 or activat$6) near2 (disk or drive)) with ((cpu or processor) near2 (power adj (mode or state)))	US-PGPUB; USPAT
76	0	(selectively adj3 power adj3 components) with ((cpu or processor) adj2 ((sleep$3 or power) adj (mode or state)))	US-PGPUB; USPAT
77	4	(selectively adj3 power) with ((cpu or processor) adj2 ((sleep$3 or power) adj (mode or state)))	US-PGPUB; USPAT
78	10	(selectively adj3 power) with ((cpu or processor) with ((sleep$3 or power) adj (mode or state)))	US-PGPUB; USPAT

	Hits	Search Text	DBs
94	1	((during adj3 (mode or state)) with ((access$3 or retriev$5 or sav$3 or stor$5) near data) with (disk or drive))	EPO; JPO